

## **Engaging Community College Students in Cutting-Edge Research in Topology Optimization**

### **Mr. Adrian Bituin, ASPIRES Program: Canada College & San Francisco State University**

Adrian Bituin is currently an undergraduate student pursuing a Bachelor of Science degree in Mechanical Engineering at The Henry Samueli School of Engineering at University of California, Irvine. Adrian obtained two Associate of Science for Transfer degrees in Mathematics and Physics from Skyline College prior to transferring to UCI in the Fall 2018 Quarter.

### **Ms. Krystal Kyain, Skyline College**

Krystal Kyain is currently a student at Skyline College in San Bruno, CA majoring in Environmental Engineering, planning to transfer to a 4-year university in the Fall of 2019. Her passion for environmental engineering stems from her upbringing in environmental awareness, appreciation for the beauty of nature, and personal interest in math and science. She hopes to use her passion and determination to help protect the environment and promote a sustainable lifestyle.

### **Yardley Ordonez, Chico State University**

Yardley Ordonez is currently a Junior at Chico State University working on a bachelor's of science degree in mechatronics. His plan is to become a Robotics/Automation Engineer and have his own consulting business in helping companies to optimize performance through automation.

### **Mr. Alec William Maxwell, San Francisco State University**

Alec Maxwell is currently an graduate student in the School of Engineering at San Francisco State University (SFSU). Besides actively conducting research on innovative tools for engineering education in the Intelligent Structural Hazards Mitigation Laboratory at SFSU with Prof. Zhaoshuo Jiang, he also serves the community as the President of the American Society of Civil Engineers for the SFSU chapter.

### **Dr. Amelito G Enriquez, Canada College**

Amelito Enriquez is a professor of Engineering and Mathematics at Cañada College in Redwood City, CA. He received a BS in Geodetic Engineering from the University of the Philippines, his MS in Geodetic Science from the Ohio State University, and his PhD in Mechanical Engineering from the University of California, Irvine. His research interests include technology-enhanced instruction and increasing the representation of female, minority and other underrepresented groups in mathematics, science and engineering.

### **Mr. Wen Li Tang, San Francisco State University**

Wen Li Tang is a graduate student attending San Francisco State University (SFSU) for his Master Degree in structural engineering. In his undergraduate program, he researched with Prof. Zhaoshuo Jiang and Duane Tran on Topology Optimization with high rise structure. After his colleague left, he continues the research and tries to develop a automatic system for topology optimization in high rise structure.

### **Prof. Nicholas Langhoff, Skyline College**

Nicholas Langhoff is an associate professor of engineering and computer science at Skyline College in San Bruno, California. He received his M.S. degree from San Francisco State University in embedded electrical engineering and computer systems. His educational research interests include technology-enhanced instruction, online education, metacognitive teaching and learning strategies, reading apprenticeship in STEM, and the development of novel instructional equipment and curricula for enhancing academic success in science and engineering.

### **Dr. Wenshen Pong P.E., San Francisco State University**

Wenshen Pong received his Ph.D. in Structural Engineering from the State University of New York at Buffalo. He joined the School of Engineering at San Francisco State University in 1998. He teaches courses in Civil/Structural Engineering.

Dr. Pong is a registered Professional Engineer in California. He is a member of the American Society of Civil Engineers and the Structural Engineers Association of California. He has published over fifty technical papers in the areas of Structural Control and Earthquake Engineering. Dr. Pong was the Director of the School of Engineering at SFSU with 20 full-time faculty and over 25 part-time faculty from 2009 to 2018.

**Dr. Cheng Chen, San Francisco State University**

Dr. Cheng Chen is currently an associate professor in the school of engineering at San Francisco State University. His research interests include earthquake engineering, structural reliability and fire structural engineering.

**Dr. Xiaorong Zhang, San Francisco State University**

Xiaorong Zhang received the B.S. degree in computer science from Huazhong University of Science and Technology, China, in 2006, the M.S. and the Ph.D. degrees in computer engineering from University of Rhode Island, Kingston, in 2009 and 2013 respectively. She is currently an Assistant Professor in the School of Engineering at San Francisco State University. Her research interests include embedded systems, wearable technologies, neural-machine interface, and cyber-physical systems.

**Hamid Mahmoodi, San Francisco State University**

Hamid Mahmoodi received his Ph.D. degree in electrical and computer engineering from Purdue University, West Lafayette, IN, in 2005. He is currently a professor of electrical and computer engineering in the School of Engineering at San Francisco State University. His research interests include low-power, reliable, and high-performance circuit design in nano-electronic technologies. He has published more than one hundred technical papers in journals and conferences and holds five U.S. patents. He was a co-recipient of the 2008 SRC Inventor Recognition Award, the 2006 IEEE Circuits and Systems Society VLSI Transactions Best Paper Award, 2005 SRC Technical Excellence Award, and the Best Paper Award of the 2004 International Conference on Computer Design. He has served on technical program committees of Custom Integrated Circuits Conference, International Symposium on Low Power Electronics Design, and International Symposium on Quality Electronics Design.

**Dr. Hao Jiang, San Francisco State University**

Hao Jiang received the B.S. degree in materials sciences from Tsinghua University, China, in 1994 and the Ph.D. degree in electrical engineering from the University of California, San Diego, in 2000.

Hao Jiang has been with San Francisco State University since August 2007 as an assistant professor in electrical engineering. Prior joining SFSU, he worked for Broadcom Corporation, Jazz Semiconductor and Conexant Systems Inc. His research interests are in the general area of analog integrated circuits, particularly in ultra-low-power circuits for biomedical applications.

**Dr. Zhaoshuo Jiang P.E., San Francisco State University**

Zhaoshuo Jiang graduated from the University of Connecticut with a Ph.D. degree in Civil Engineering. Before joining San Francisco State University as an assistant professor, he worked as a structural engineering professional at Skidmore, Owings & Merrill (SOM) LLP. As a licensed professional engineer in the states of Connecticut and California, Dr. Jiang has been involved in the design of a variety of low-rise and high-rise projects. His current research interests mainly focus on Smart Structures Technology, Structural Control and Health Monitoring, and Innovative Engineering Education.

# Engaging Community College Students in Cutting-Edge Research in Topology Optimization

Adrian Bituin<sup>1</sup>, Krystal Kyain<sup>1</sup>, Yardley Ordonez<sup>1</sup>, Alec Maxwell<sup>2</sup>, Wen Li Tang<sup>2</sup>,  
Amelito Enriquez<sup>1</sup>, Nick Langhoff<sup>3</sup>, Wenshen Pong<sup>2</sup>, Cheng Chen<sup>2</sup>, Kwok-Siong  
Teh<sup>2</sup>, Xiaorong Zhang<sup>2</sup>, Hamid Mahmoodi<sup>2</sup>, Hao Jiang<sup>2</sup>, Zhaoshuo Jiang<sup>2\*</sup>

<sup>1</sup>Cañada Community College, Redwood City, CA 94061

<sup>2</sup>School of Engineering, San Francisco State University, San Francisco, CA 94132

<sup>3</sup>Skyline College, San Bruno, CA 94066

\*Corresponding Author: zsjiang@sfsu.edu

## Abstract

Topology optimization has great potential to achieve the most economical and efficient engineering designs due to its ability to allocate materials to the most effective locations. Topology optimization techniques have been applied to tall building design. However, due to the lack of an automated process, a simplified procedure is commonly used to find the optimized pattern of the exterior bracing. An automated topology optimization platform that utilizes commercially available software packages would be very helpful to promote the usage of topology optimization and adoption of the research outcomes. The California Community College System, with its enrollment of approximately 2.5 million students, is in a prime position to grow the future science, technology, engineering, and mathematics (STEM) workforce. Through the U.S. Department of Education funded collaborative Minority Science and Engineering Improvement Program: Accelerated STEM Pathways through Internships, Research, Engagement, and Support (ASPIRES) cooperative program between Cañada College, a Hispanic-Serving community college and San Francisco State University (SFSU), a public comprehensive university, a 10-week summer program is set up to provide opportunity for community college students to experience the excitement of state-of-the-art research. In this summer program, the community college students were working closely with graduate students in SFSU to develop a user-friendly platform that streamlines various software packages in different stages of the design process, from modeling to finite element analysis and topology optimization. Topology optimization of a cantilever beam with a moving point load was used to test the developed platform. Systematic workshops and learning modules were prepared to help the participating students get ready for upcoming challenges and to provide them a meaningful research experience. The feedback from the students showed that the ASPIRES program offers an effective way to engage students, even with little or no background in engineering courses or research topics, from a community college in engineering research. The pre- and post-program survey results demonstrated that the internship program helped participating students better understand research and science and increase their independency toward the goal of graduating mature, independent, informed, and globally competitive STEM graduates.

## Introduction

Topology optimization is a mathematical method that can be used to reduce structural weight, material layout, or volume of a given design by adjusting design variables, set of constraints, and

design parameters. Its origin can be traced back to over a hundred years to the Australian inventor Michell, who worked on some of the first truss solutions and derived optimality criteria for the least-weight-layout of trusses [1, 2]. Topology optimization has great potential to achieve economical and efficient engineering designs due to its ability to allocate materials to the most effective locations. Research on topology optimization has advanced over the last several decades, and has been specifically focused on developing optimization algorithms [2]. There are many engineering related industries that use topology optimization, including aerospace, automobile, biological engineering, material engineering and so on. In recent years, these topology optimization techniques have attracted attention to building design, particularly in the design of the perimeter bracing [3-5]. Due to the lack of an automated process, a simplified procedure is commonly used in actual design practice to find the optimized pattern. Typically, a single static point load is applied to the top of the building. Topology optimization is then used to determine the optimized pattern. Results are generalized and the patterns are directly applied to other structures with different design domains (e.g., loading conditions and structural dimensions such as width and height), even though varying these parameters will produce different optimal topologies. An automated topology optimization platform that utilizes the commercially available software packages would be very helpful to promote the usage of topology optimization and adoption of the research outcomes from state-of-the-art research on topology optimization.

Empowering the future generation of researchers and engineers to be drivers of innovation has its roots in today's undergraduate and graduate education. Diversity is critical to innovation, bringing together different ideas and approaches to keep civil engineering on pace with technological advances. The California Community College System, with its enrollment of approximately 2.5 million students, is in a prime position to grow the future science, technology, engineering, and mathematics (STEM) workforce. Through the U.S. Department of Education funded Minority Science and Engineering Improvement Program: Accelerated STEM Pathways through Internships, Research, Engagement, and Support (ASPIRES) cooperative program between Cañada College, a Hispanic-Serving community college and San Francisco State University (SFSU), a public comprehensive university, a 10-week summer program is set up to provide opportunity for community college students to experience the excitement of the state-of-the-art research. In this summer program, the community college students are working closely with graduate students and the faculty mentor in the SFSU to develop a user-friendly automated platform that streamlines various software packages in different stages of the design process, from modeling (AutoCAD) to finite element analysis and topology optimization (ANSYS). Topology optimization of a cantilever beam with a moving point load is used to validate the developed platform.

### **Proposed Automated Platform**

There are several components in the proposed automated topology optimization platform, namely, modeling, topology optimization, finite element performance analysis, and information exchange and results extraction. In order to automate the topology optimization process without human interference, the need of using Graphical User Interfaces (GUI) should be minimized if not eliminated. The flowchart of the proposed platform is shown in Fig. 1 and each component is explained in detail in the following.

## Modeling

Modeling of the structure (e.g., creating geometry and loading) is a critical first step for structural analyses, such as performance and topology optimization. However, in most commercial software that performs these analyses, the modeling ability is not satisfying. AutoCAD, developed by Autodesk [6], is one of the most popular commercial computer-aided design (CAD) and drafting software applications, famous for its modeling power.




Figure 1. Flowchart of the proposed automated platform

To enable the use of AutoCAD modeling in the automated process, there is a need to reduce the user's dependency on the GUI. AutoLISP is a built-in programming language of AutoCAD [7], which can be used to create programs that will automatically generate drawings and models. It is suitable to serve as the application programming interface (API) between the modeling and other components of the proposed platform, therefore, it is adopted for use in the proposed platform. Once the model is created, it is saved as an IGES (Initial Graphics Exchange Specification) file so that other programs within the proposed platform can use it.

### *Topology optimization and finite element performance analysis*

To perform the topology optimization and performance analyses, ANSYS finite element analysis software is adopted in this study. The ANSYS structural analysis software is widely used throughout the industry. The Structures suite of ANSYS not only enables users to solve complex structural engineering problems through the finite element analysis tools available in the suite, but also allows the customization and automation of the design process. [8] As one of the powerful tools in the Structures suite, ANSYS Mechanical allows users to perform topology optimization to design durable, lightweight components to ensure that manufacturing requirements are met, minimum material thicknesses are set and exclusion areas are defined [9]. The ANSYS Parametric Design Language (APDL) is a scripting language that allows users to automate common tasks and/or configure parameters for analysis [10]. With the help of APDL, users can connect easily with other analysis tools. The APDL is utilized in the proposed platform to import AutoCAD geometry models (i.e., the IGES files) and set parameters such as loading and mesh sizes before running the model through a topology optimization simulation.

### *Information exchange and results extraction*

MATLAB is a multi-paradigm numerical computing environment and proprietary programming language developed by MathWorks [11]. It is a powerful tool that has been widely used in both academic research and industrial practices. In the proposed platform, MATLAB scripts are used to serve as a driver to execute the various components sequentially, extract the results from the structural performance and topology optimization outputs, compare the results with the desired objectives/constraints, and lead the modification of the model.

The process of the proposed platform is as following: MATLAB script will first create the model of the structure of interest in AutoCAD through activating a predefined AutoLISP program. The created model by the AutoLISP will then be imported to ANSYS when the APDL command is executed by the MATLAB scripts. After that, all through APDL commands, the model will be meshed, loading will be applied, and the topology optimization in ANSYS will be launched. The optimized shape obtained from ANSYS will then be used to perform the structural performance evaluation before the results are saved locally. The results contained in the files will then be extracted and imported to MATLAB through the MATLAB script to evaluate if it satisfies the desired objectives/constraints. If not, the MATLAB scripts will revise the AutoLISP program accordingly to modify the model. This loop is iterated until the objective/constraints are satisfied.

### **Case Study**

To validate the developed platform, a topology optimization case study is used to test the platform. In this case study, topology optimizations were performed for a cantilever steel beam under a point load with varying location along the length of the beam. The effect of different mesh sizes to the optimization results was also investigated. The beam is 500 mm (length,  $l$ ) x 100 mm (width,  $b$ ) x 50 mm (thickness,  $h$ ) as shown in Fig. 2. The objective is to find the most optimized topology of the beam to minimize the deflection ( $\Delta$ ) of the beam under a point load ( $P = 25kN$ ) while retaining 50% (maximum) of its volume. The location ( $a$ ) of the point load was changing along the length ( $l$ ) of the beam with a 50 mm increments from the cantilever end of the beam to a location of 50 mm from the fixed end of the beam as shown in Fig. 3. The mesh size of the finite element model was varied from 10 mm to 50 mm by 10 mm increments.




Figure 2. Isometric view of a cantilever beam




Figure 3. Cantilever steel beam with a point load varying along the length

### *Results and Discussion*

Through the developed topology optimization platform, iterations were automatically run to loop through the various point load locations as well as the various mesh sizes. Results from ANSYS for each case scenario were then extracted by the APDL command and imported into MATLAB for post-processing. The results of this case study are shown in Fig. 4, which illustrates the variation of the beam's maximum deflection under a point load, acting at the different locations with the mesh sizes changing from 10 mm to 50 mm. As expected, the results converge when the mesh size gets smaller. To graphically observe the role of mesh size, a two-dimensional plot is shown in Fig. 5.




Figure 4. 3D plot on beam deflection under point loads with different mesh sizes




Figure 5. 2D plot on beam deflection under point loads with different mesh sizes

To better illustrate the advantage of the topology optimization, the results obtained from the developed platform were compared to the theoretical values without optimization. The deflection of a cantilever beam can be calculated from Eq. 1:

$$\Delta = \frac{Pa^2}{6EI}(3l - a) \quad (1)$$

where  $E$  is Young's modulus of the steel and the moment of inertia of the beam can be calculated using Eq. 2:

$$I = \frac{bh^3}{12} \quad (2)$$

The comparison results are shown in Fig. 6. As can be seen from the figure, with 50% allowable material usage as the original beam, the deflection of the optimized beam (10 mm mesh size) was 5.86 mm while the deflection of the non-optimized beam ( $l = 500$  mm,  $b = 50$  mm,  $h = 50$  mm) was 9.52 mm. A reduction of 38.5% was achieved.




Figure 6. Comparison between numerical and theoretical values

### Strategies for Student Success and Project Assessment

There were five research groups in the internship program, each generally consisting of one fulltime student intern and three part-time student interns that were supervised by one SFSU graduate student and mentored by an SFSU engineering faculty member. The participating students are typically sophomores who have no previous research experience and have at least one more year of courses to complete at Cañada College before transferring to a four-year university. To ensure the participating students to have a meaningful experience, for the particular Civil Engineering group who authors this paper, several strategies were implemented to help students succeed in the program in addition to those offered by the ASPIRES program. First, a group meet-and-greet meeting was held on the first day of the internship program. In this meeting, students were provided with an introduction of the program as well as the research direction and expected outcomes. Seminars and workshops have shown to improve participant's satisfaction [12]. The faculty advisor of this group has an ongoing NSF Research Experiences for Undergraduates (REU) program [13] that is concurrently running at the time of the ASPIRES program. The developed formal training, workshops, and supplemental activities through the REU program were also made available to the participating students in this ASPIRES program. These workshops include Responsible Conduct of Research and Ethics, Research Process, Literature Review and Conducting Research, Verbal and Written Communication Skills, Learning to Give Powerful Oral and Poster Presentations, The Elevator Pitch: Advocating for Your Good Ideas, and project-specific topics, such as structural dynamics, topology optimization, and training tutorials for prevalent software. These workshops intend to help students develop independent research ability, better present research outcomes, and effectively promote research findings. Since MATLAB is one of the essential tools needed for this particular



research project, all interns were required to participate in an intense MALTAB training at the beginning of the program. It is recognized that students joined with different knowledge levels. Weekly project specific seminars were prepared by the faculty advisor and delivered by the graduate mentor to help students acquire necessary knowledge for the upcoming research activities. Additionally, weekly meetings and roundtable discussions were set up to ensure research to be in the right direction and help students to practice their presentation skills.

Pre- and post-program surveys were conducted to evaluate the success of the internship program. The pre-program survey was administered on the first day of the summer internship program and the post-program survey was administered after final presentations delivered by the students at the end of the program. The participating interns were asked about their perception of skills and knowledge before and after the program. A Likert scale was used to evaluate the responses, where “1” representing “strongly disagree” and “5” for “strongly agree”. The survey results are shown in Table 1.

Among various questions being investigated, results from those where changes in average response were statistically significant (highlighted with bold fonts) are of particular interest. Results show that the summer internship program had a positive effect on students, evident by the increase in average response from all of the pre- and post-survey questions with statistical significance. Students responded that they gained better understanding of research and science, indicating that the exposure to research with fundamental science offered by this program, at an early stage of their educational career, provided students a better understanding on the research process, where to start if given a real-world problem, and how to implement the research outcomes to tackle the problem. Traditional education focuses on the understanding of theory, but not necessarily applying it to real-world problems. This summer internship opportunity allowed students to relate theories to real-world problems, something that is not always offered in the classroom. In addition, this process better prepared students to take on future research in their field and helped students transition from a relatively dependent status to an independent a status as their competence level increases, as supported by the survey results.

Table 1. Student Perception of Skills and Knowledge for Academic and Research Success.

Question: Please indicate your level of agreement with the following statements.	Average Response		
	Pre	Post	Change
<b>I am confident I will transfer to a four-year institution.</b>	4.80	4.76	-0.04
<b>I am confident I will complete a BS in a STEM field.</b>	4.72	4.64	-0.08
<b>I can imagine myself continuing after my BS to pursue a Master’s Degree in a STEM field.</b>	4.24	4.32	0.08
<b>I can imagine myself continuing after my BS to pursue a Ph.D. in a STEM field/Medical School/other education beyond the Master's level.</b>	3.60	3.88	0.28
<b>I have a clear career path.</b>	4.04	4.28	0.24
<b>I have skill in interpreting results.</b>	3.96	4.28	0.32
<b>I have tolerance for obstacles faced in the research process.</b>	4.12	4.40	0.28
<b>I am ready for more demanding research.</b>	3.88	4.28	0.40
<b>I understand how knowledge is constructed.</b>	3.96	4.32	0.36
<b>I understand the research process in my field.</b>	<b>3.56</b>	<b>4.28</b>	<b>0.72**</b>
<b>I have the ability to integrate theory and practice.</b>	3.84	4.20	0.36

<b>I understand how scientists work on real problems.</b>	<b>3.52</b>	<b>4.40</b>	<b>0.88**</b>
<b>I understand that scientific assertions require supporting evidence.</b>	<b>4.04</b>	<b>4.52</b>	<b>0.48*</b>
<b>I have the ability to analyze data and other information.</b>	4.04	4.40	0.36
<b>I understand science.</b>	<b>3.88</b>	<b>4.36</b>	<b>0.48*</b>
<b>I have learned about ethical conduct in my field.</b>	3.96	3.96	0.00
<b>I have learned laboratory techniques.</b>	4.00	4.32	0.32
<b>I have an ability to read and understand primary literature.</b>	4.00	4.40	0.40
<b>I have skill in how to give an effective oral presentation.</b>	4.04	4.40	0.36
<b>I have skill in science writing.</b>	3.68	4.08	0.40
<b>I have self-confidence.</b>	4.08	4.32	0.24
<b>I understand how scientists think.</b>	3.84	4.24	0.40
<b>I have the ability to work independently.</b>	<b>4.16</b>	<b>4.64</b>	<b>0.48*</b>
<b>I am part of a learning community.</b>	4.36	4.16	-0.20
<b>I have a clear understanding of the career opportunities in science.</b>	4.16	4.24	0.08

\* The change is statistically significant at  $p < 0.050$ .

\*\*The change is statistically significant at  $p < 0.010$ .

## Conclusion

Topology optimization has great potential to achieve the most economical and efficient engineering designs due to its ability to allocate materials to the most effective locations. However, due to the lack of an automated process, a simplified procedure is commonly used to find the optimized pattern of exterior bracing in the building design. To resolve this, an automated topology optimization platform that integrates several commercially available software packages in different stages of the design process was proposed as one of the research topics in the U.S. Department of Education funded collaborative ASPIRES program between Cañada College, a Hispanic-Serving community college and SFSU, a public comprehensive university. Through this summer internship program, students evaluated the feasibility of developing such a platform and validated the developed platform through a numerical study on minimizing the deflection of a cantilever beam under a point load. Systematic workshops and training were provided to help students succeed and ensure a meaningful research experience. Weekly meetings with mandatory presentations and roundtable discussions were utilized to guide the students toward the right path while providing them enough freedom to explore new ideas. From the pre- and post-program survey results, this 10-week ASPIRES Summer Internship program was successful in providing opportunities for students, especially those from underrepresented minority groups, to experience the excitement of state-of-the-art research. As can be seen from Tables 1, the internship program helped participating students better understand research and science, and how to relate the theory to real-world problems and implement the research outcomes to tackle these problems. This learning exercise contributed to the increase of students' independency toward the goal of graduating mature, independent, informed, and globally competitive STEM graduates. The program showed that even students with little or no background in engineering courses or research topics were able to succeed in the program and experience the excitement of research. It also demonstrated that the ASPIRES program offers an effective way to engage students from a community college in engineering research. The ASPIRES program is a learning process for both participating students and faculty advisors. Several thoughts gained through the program on how to enhance student learning and

engagement are provided herein as a possible means to improve program outcomes. Firstly, the commitment of the participating faculty advisors is an important factor in motivating students. Given that it is likely their first research experience for the participating students, more efforts are recommended to place at the beginning of the program to guide students on how to transit from a dependent learner to a more independent researcher. Exercises such as roundtable discussion and weekly presentation appear to be useful to connect with students and ensure that they are moving along the right path toward a meaningful research project. Clearly identified expectations and research outcomes are also crucial to engage students by providing them feasible goals and allowing them to set daily and weekly tasks for the goals. Lastly, as engineering is practical science, a hands-on experiment is another engaging means to bring excitement to participating students. For the future implementations, these approaches will be applied and their effects on the program outcomes will be evaluated.

## Acknowledgement

The authors would like to thank the support from the U.S. Department of Education through Minority Science and Engineering Improvement Program (Award – #P120A150014).

## References

1. Xia, L., Xia, Q., Huang, X., & Xie, Y. M. (2018). Bi-directional evolutionary structural optimization on advanced structures and materials: a comprehensive review. *Archives of Computational Methods in Engineering*, 25(2), 437-478.
2. Wu, Y., Li, Q., Hu, Q., & Borgart, A. (2017). Size and topology optimization for trusses with discrete design variables by improved firefly algorithm. *Mathematical Problems in Engineering*, 2017.
3. Stromberg, L. L., Beghini, A., Baker, W. F., & Paulino, G. H. (2011). Application of layout and topology optimization using pattern gradation for the conceptual design of buildings. *Structural and Multidisciplinary Optimization*, 43(2), 165-180.
4. Stromberg, L. L., Beghini, A., Baker, W. F., & Paulino, G. H. (2012). Topology optimization for braced frames: combining continuum and beam/column elements. *Engineering Structures*, 37, 106-124.
5. Tang, J., & Xie, Y. M. (2014). Conceptual design of buildings subjected to wind load by using topology optimization. *Wind and Structures*, 18(1), 021-035.
6. Autodesk. CAD software to design anything-now with time-saving specialized toolsets, web and mobile apps. Retrieved January 14, 2018, from <https://www.autodesk.com/products/autocad/overview>
7. CADDsoft Solutions. Retrieved January 14, 2019, from <http://www.caddsoftsolutions.com/AutoLISP.htm>
8. ANSYS. Structures. Retrieved January 14, 2019, from <https://www.ansys.com/products/structures>
9. ANSYS. Topology Optimization Software | ANSYS. Retrieved January 14, 2019, from <https://www.ansys.com/products/structures/topology-optimization>
10. ANSYS. (2015, June 29). Introduction APDL. Retrieved January 14, 2019, from [https://www.sharcnet.ca/Software/Ansys/16.2.3/en-us/help/ans\\_apdl/Hlp\\_P\\_APDL1.html](https://www.sharcnet.ca/Software/Ansys/16.2.3/en-us/help/ans_apdl/Hlp_P_APDL1.html)
11. MathWorks. MATLAB - MathWorks. Retrieved January 14, 2019, from <https://www.mathworks.com/products/matlab.html>
12. Grimberg, S. J., Langen, T. A., Compeau, L. D., & Powers, S. E. (2008). A theme-based seminar on environmental sustainability improves participant satisfaction in an undergraduate summer research program. *Journal of Engineering Education*, 97(1), 95-103.
13. Jiang, Z., Caicedo, J., and Petrusis, R. (2018b). NSF REU SITE: Collaborative Research: Integrated Academia-Industry Research Experience for Undergraduate in Smart Structure Technology. *Proceedings of 125<sup>th</sup> American Society for Engineering Education (ASEE) Annual Conference & Exposition*, Salt Lake City, UT.